

# CONTENTS OF VOLUME 9

## TABLE OF CONTENTS LASER AND PARTICLE BEAMS Vol. 9 1991

### NUMBER 1

#### Special Section: Diagnostics of Laser-Produced Plasmas

E. M. Campbell (LLNL, Livermore, CA, USA): Preface	1
A. A. Hauer (LANL, Los Alamos, NM, USA), N. D. Delamater, and Z. M. Koenig (KMS Fusion, Ann Arbor, MI, USA): High-resolution X-ray spectroscopic diagnostics of laser-heated and ICF plasmas	3
J. D. Kilkenny (LLNL, Livermore, CA, USA): High speed proximity focused X-ray cameras	49
N. M. Ceglio (LLNL, Livermore, CA, USA): X-ray optics for X-ray laser research applications	71
D. R. Kania (LLNL, Livermore, CA, USA): Radiation-induced conductivity: High-speed detection of X rays and neutrons	91
R. A. Lerche, D. Ress, R. J. Ellis, S. M. Lane (LLNL, Livermore, CA, USA), and K. A. Nugent (U. Melbourne, Australia): Neutron penumbral imaging of laser-fusion targets	99
H. Azechi, R. O. Stapf (Osaka U., Japan), and M. D. Cable (LLNL, Livermore, CA, USA): Review of secondary and tertiary reactions, and neutron scattering as diagnostic techniques for inertial confinement fusion targets	119
E. Förster, K. Gäbel, and I. Uschmann (Friedrich-Schiller-U., Germany): X-ray microscopy of laser-produced plasmas with the use of bent crystals	135

#### Regular Papers

K. Niu (Tokyo Inst. Tech., Japan), P. Mulser (Inst. Angewandte Physik, Germany), and L. Drška (Tech. U. Prague, Czechoslovakia): Beam generations of three kinds of charged particles	149
V. A. Papadichev (Lebedev Inst., Moscow, USSR): Intense negative hydrogen ion production in high-power diodes	167

# NUMBER 2

## 20th European Conference on Laser Interaction with Matter January 22-26, 1990, Schliersee, Germany

K. Eidmann: Preface	191
H. Azechi, T. Jitsuno, T. Kanabe, M. Katayama, K. Mima, N. Miyanaga, M. Nakai, S. Nakai, H. Nakaishi, M. Nakatsuka, A. Nishiguchi, P. A. Norrays, Y. Setsuhara, M. Takagi, M. Yamanaka (Osaka Univ., Japan), and C. Yamanaka (Inst. Laser Tech., Osaka, Japan): High-density compression experiments at ILE, Osaka	193
E. M. Campbell (LLNL, Livermore, CA, USA): Recent results from the Nova program at LLNL	209
S. Atzeni (CREF, Rome, Italy): Implosion symmetry and burn efficiency in ICF	233
I. R. G. Williams, G. J. Rickard, and A. R. Bell (Imp. Coll. Sci. Tech., London, UK): Investigations of pressure nonuniformity in laser-irradiated targets using incoherent optical smoothing	247
J. Sanz, L. F. Ibañez, and J. A. Nicolas (ETSI, Madrid, Spain): Nonuniform illumination of laser spherical targets	265
J. Sanz and A. Estevez (ETSI, Madrid, Spain): Influence of ablation-to-critical surface distance upon Rayleigh-Taylor instability	273
K. Niu, T. Aoki, T. Sasagawa, and Y. Tanaka (Tokyo Inst., Yokohama, Japan): Indirect-driven target for ICF	283
W. H. Lowdermilk (LLNL, Livermore, CA, USA): Athena—an advanced Nd : glass laser driver for ICF	297
M. J. Shaw (Rutherford Appleton Lab., Oxon, UK): Prospects for high-power KrF lasers	309
G. A. Pasmanik, A. I. Makarov, and A. A. Shilov (Inst. App. Phys., Gorky, USSR): Non-linear optics concept for high-peak-power lasers	329
G. Bonnaud (CEL-V, St. Georges, France), P. Gibbon (Imp. Coll. Sci. Tech., London, UK), J. Kindel (LANL, Los Alamos, NM, USA), and E. Williams (LLNL, Livermore, CA, USA): Laser interaction with a sharp-edged overdense plasma	339
B. Cros, A. Chiron, J. Godiot, G. Matthieussent (L.P.G.P., Orsay, France), and A. Héron (C.P.T., Palaiseau, France): Chaotic behavior of resonant absorption in the microwave range	355
L. Bergé, Ph. Dousseau, G. Pelletier, and D. Pesme (G.I.L.M.T., Toulouse, France): Self-similar Langmuir collapse at critical dimension	363
L. Bergé, G. Pelletier, and D. Pesme (G.I.L.M.T., Toulouse, France): Self-similar regimes of anisotropic collapses	371
G. Min and H. Hora (U. New South Wales, Kensington, Australia): Pulsation of laser-plasma interaction explained by density ripple buildup and relaxation for understanding smoothing by random-phase plate, ISI, and broadband	381
R. Fabbro and B. Faral (L.A.L.P., Arcueil, France): Temperature measurements of very high pressure laser shocks above 100 Mbars using time-resolved X-UV spectroscopy	397
P. Combis, B. Cazalis, J. David, A. Froger, M. Louis-Jacquet, B. Meyer, G. Nierat, A. Saleres, G. Sibille, G. Thiell, and F. Wagon (CEL-V, St. Georges, France): Low-fluence laser-target coupling	403

E. M. Barkhudarov, M. O. Midivishvili, I. V. Sokolov, M. I. Takatishvili, and V. E. Terekhin (Inst. Phys., Tbilisi, Georgia, USSR): Experimental simulation of hydrodynamic phenomena accompanying laser beam interactions in a gas	421
D. P. Singh, V. Palleschi, M. Vaselli (IFAM, Pisa, Italy), and E. Panarella (ALFT, Ottawa, Canada): Scaling laws for spherical pinch experiments	435
S. Atzeni and A. Guerrieri (CREF, Rome, Italy): A method for the automatic rezoning of 2-D Lagrangian codes for ICF implosions	443
M. De Rosa, F. Famá, V. Palleschi, A. Salvetti, D. P. Singh, and M. Vaselli (IFAM, Pisa, Italy): On the process of Mach wave generation in air	453
F. Cornolti (U. Pisa, Italy), P. Mulser, and M. Hahn (Theoret. Quantum Elec., Darmstadt, Germany): Absorption of ultrashort laser pulses in solid targets	465
G. Bonnaud, D. Pesme (CEL-V, St. Georges, France), and R. Pellat (CPT, Palaiseau, France): Frequency spectra of the Raman-backscattered light in an inhomogeneous plasma	477
D. Naccache, J.-L. Bourgade, P. Combis, C. J. Keane, J.-P. Le Breton, M. Louis-Jacquet, B. J. MacGowan, D. L. Matthews, J.-P. Perrine, and G. Thiell (CEL-V, St. Georges, France): Review of the soft-X-ray laser research at CEL-V	493
P. Glas and M. Schnürer (CIOS, Berlin, Germany): Investigations concerning plasma parameters and population inversion in laser-produced counterstreaming plasmas	501
S. Jacquemot and A. Decoster (CEL-V, St. Georges, France): Z scaling of collisional Ne-like X-ray lasers using exploding foils: Refraction effects	517
D. Babonneau, J. L. Bocher, C. Bayer, A. Decoster, D. Juraszek, J. P. Perrine, and G. Thiell (CEL-V, St. Georges, France): X-ray emission by the rear side of laser-irradiated gold targets	527
R. Benattar, V. Malka (LULI, Palaiseau, France), J. Meyer-ter-Vehn, and M. Murakami (MPI, Garching, Germany): Effect of radiation on the time-resolved rear-side emission of laser-illuminated foils at 0.25 $\mu\text{m}$ : Comparison with simulations	541
K. Eidmann and W. Schwanda (MPI, Garching, Germany): Conversion of laser light into soft X rays with 3-ns and 30-ps laser pulses	551
T. Kerdja, F. Dahmani, and D. Ghobri (CDTA, Alger-Gare, Algeria): Simple evidence of radiation transport in coated plastic targets	563
J. S. Wark (U. Oxford, UK): Transient effects in laser-plasma X-ray spectrometers	569
L. Pina, V. Svoboda (Nucl. Sci. & Phys. Engin., Prague, Czechoslovakia), H. Fiedorowicz (Inst. Plas. Phys. & Laser Microfusion, Warsaw, Poland), M. O. Koshevoi, A. A. Rupasov, A. S. Shikanov (Lebedev Phys. Inst., Moscow, USSR), and B. Rus (Inst. Phys., Prague, Czechoslovakia): X-ray transmission grating spectrometer with CCD detector for laser plasma studies	579
N. Böwering, T. Döhring, U. Gärner, and U. Heinzmann (U. Bielefeld, Germany): Spectral diagnosis of a laser-produced XUV source using a digital camera system with pinhole transmission grating	593
W. Becker (U. New Mexico, Albuquerque, USA): Quantum electrodynamics in intense laser fields	603
A. Dyson and A. E. Dangor (LULI, Palaiseau, France): Laser beat wave acceleration of particles	619

- M. Casini, M. A. Harith, V. Palleschi, A. Salvetti, D. P. Singh, and M. Vaselli (IFAM, Pisa, Italy): Time-resolved LIBS experiment for quantitative determination of pollutant concentrations in air 633
- M. M. Michaelis, P. F. Cunningham, R. S. Cazalet, J. A. Waltham, and M. Notcutt (U. Natal, Durban, South Africa): Gas lens applications 641

### NUMBER 3

- G. H. Miley (U. Illinois, USA): In Commemoration of Heinrich Hora's 60th Birthday 653
- E. C. Harvey and M. J. Shaw (Rutherford Appleton Lab., Oxon, UK): A simple kinetic model for electron-beam-pumped KrF lasers 659
- T. Häuser and W. Scheid (Inst. Theoretische Physik, Giessen, Germany): Energy and angular distribution of ions emitted from a plasma after relativistic self-focusing of laser beams 675
- V. M. Bystritskii, Y. A. Glyshko, A. A. Sinebrjukhov, and A. V. Kharlov (Inst. Electrophys., Sverdlovsk, USSR): Experiments on high-power ion beam generation in self-insulated diodes 691
- V. M. Bystritskii, I. V. Lisitsyn (Inst. Electrophys., Sverdlovsk, USSR), S. N. Volkov, Y. E. Krasik, and N. M. Polkovnikova (Inst. Nuc. Phys., Tomsk, USSR): Generation and focusing of high-power ion beams in a magnetically insulated diode with applied  $B$  field 699
- J. W.-K. Mark (LLNL, Livermore, CA, USA): Recent Livermore research on ion beam fusion targets: Utilization of direct-drive efficiency during optimization of symmetry and utilization of polarized DT fuel 713
- C. Stöckl and G. D. Tsakiris (MPI, Garching, Germany): Experiments with laser-irradiated cylindrical targets 725
- V. J. Harper-Slaboszewicz and W. E. Fowler (SNL, Albuquerque, NM, USA): Measurements of the divergence of a 10-MA relativistic electron beam transported in a gas cell 749
- N. W. Kaiser, J. Meyer-ter-Vehn (MPI, Garching, Germany), and R. Ramis (E.T.S.I., Madrid, Spain): Numerical study of an X-ray-driven carbon foil 759
- F. Dahmani and T. Kerdja (Lab. de Fusion Thermonuc., Algiers, Algeria): Measurements and laser-wavelength dependence of mass-ablation rate and ablation pressure in planar layered targets 769

### NUMBER 4

- H. Hora (CERN, Geneva, Switzerland): Editorial 779
- M. F. Mahmood (Howard Univ., Wash., DC, USA): Laser action on the ( $B-X$ ) band of HgI at 445 nm 781
- Y.-L. Li, X.-F. Wang, Z.-Z. Xu, S.-S. Chen, and A.-D. Qian (Shanghai Inst., China): Absolute study of spectra from laser-produced plasmas 787
- K. Inoue and T. Ariyasu (Kansai Univ., Osaka, Japan): Sound waves and shock waves in high-density deuterium 795

W. Brunner and R. W. John (Zentralinst. für Opt. und Spektro., Berlin, Germany): Doppler-shift decoupling of radiation reabsorption in expanding laser-produced plasmas	817
A. K. Chung, M. S. Peck, and M. A. Prelas (Univ. of Missouri, Columbia, MO, USA): Effects of helium buffer gas on the atomic carbon nuclear-pumped laser at low power densities	829
J. A. Stamper (U.S. Naval Res. Lab., Wash., DC, USA): Review on spontaneous magnetic fields in laser-produced plasmas: Phenomena and measurements	841
B. Heimrich, H. J. Laue, and H. Wollnik (Univ. Giessen, Germany): RFQ final-focusing lens at the GSI	863
S. J. Rose (Rutherford Lab., Appleton, UK): High-power laser-produced plasmas and astrophysics	869
Erratum	880
Index	881